



# Kontrola duktilnosti

Opt. 11: I+0.5xII




Nivo: [0.00 m]  
 Uticaji u indirektnim elementima - Iznad/Ispred

Opt. 11: I+0.5xII




Nivo: [5.00 m]  
Uticaji u indirektnim elementima - Iznad/Ispred

Opt. 11: I+0.5xII




Nivo: [8.00 m]  
 Uticaji u indirektnim elementima - Iznad/Ispred

Opt. 11: I+0.5xII




Nivo: [11.00 m]  
 Uticaji u indirektnim elementima - Iznad/Ispred


Opt. 11: I+0.5xII



Ram: Ram u osi G  
 Vektorski preseci: Nn  
 Opt. 11: I+0.5xII



Ram: ram u osi L  
 Vektorski preseci: Nn  
 Opt. 11: I+0.5xII



Ram: Ram u osi M  
 Vektorski preseci: Nn

## Kontrola duktilnosti stubova / zidova

### Lamela A1-A2

|            |       | N           | b  | d   | $A_b$           | $\sigma$           | $\sigma/f_B$ |
|------------|-------|-------------|----|-----|-----------------|--------------------|--------------|
|            |       | kN          | cm | cm  | cm <sup>2</sup> | kN/cm <sup>2</sup> | %            |
| <b>A</b>   | 0,00  | <b>1880</b> | 30 | 100 | 3000            | 0,63               | 22,4%        |
| <b>A</b>   | 5,00  | <b>1566</b> | 20 | 100 | 2000            | 0,78               | 28,0%        |
| <b>B</b>   | 0,00  | <b>1963</b> | 30 | 100 | 3000            | 0,65               | 23,4%        |
| <b>C</b>   | 11,00 | <b>1117</b> | 20 | 60  | 1200            | 0,93               | 33,2%        |
| <b>F</b>   | 11,00 | <b>977</b>  | 20 | 60  | 1200            | 0,81               | 29,1%        |
| <b>G/4</b> | 0,00  | <b>3923</b> | 30 | 150 | 4500            | 0,87               | 31,1%        |
| <b>G/7</b> | 0,00  | <b>1265</b> | 30 | 60  | 1800            | 0,70               | 25,1%        |
| <b>G</b>   | 11,00 | <b>1568</b> | 20 | 80  | 1600            | 0,98               | 35,0%        |
| <b>H</b>   | 0,00  | <b>752</b>  | 20 | 60  | 1200            | 0,63               | 22,4%        |
| <b>L</b>   | 0,00  | <b>3208</b> | 30 | 120 | 3600            | 0,89               | 31,8%        |
| <b>L</b>   | 11,00 | <b>1532</b> | 20 | 80  | 1600            | 0,96               | 34,2%        |
| <b>M</b>   | 0,00  | <b>1823</b> | 30 | 120 | 3600            | 0,51               | 18,1%        |
| <b>M</b>   | 11,00 | <b>1057</b> | 20 | 60  | 1200            | 0,88               | 31,5%        |
| <b>4</b>   | 0,00  | <b>3425</b> | 20 | 540 | 10800           | 0,32               | 11,3%        |
| <b>A</b>   | 0,00  | <b>1377</b> | 20 | 220 | 4400            | 0,31               | 11,2%        |
| <b>D</b>   | 0,00  | <b>2722</b> | 20 | 470 | 9400            | 0,29               | 10,3%        |
| <b>F/1</b> | 0,00  | <b>5169</b> | 30 | 332 | 9960            | 0,52               | 18,5%        |
| <b>H</b>   | 0,00  | <b>4996</b> | 20 | 640 | 12800           | 0,39               | 13,9%        |